

## United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/664,997 09/17/2003		09/17/2003	Alfred Koning	KON04 P-300	4608	
277	7590	11/30/2004		EXAM	EXAMINER	
		O COOPER DEWI	KING, A	KING, ANITA M		
695 KENMO P O BOX 25		•		ART UNIT	PAPER NUMBER	
GRAND RA	GRAND RAPIDS, MI 49501			3632	,	
				DATE MAILED: 11/30/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	-/			
Office Action Summary		10/664,997	KONING ET AL.	51			
		Examiner	Art Unit				
		Anita M. King	3632				
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet with the	correspondence ad	ddress			
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPL' MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a repl period for reply is specified above, the maximum statutory period or re to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be to within the statutory minimum of thirty (30) do will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDON	imely filed  ays will be considered time in the mailing date of this c  ED (35 U.S.C. § 133).	ly. communication.			
Status							
1)⊠	Responsive to communication(s) filed on <u>17 S</u>	eptember 2003.					
2a)	This action is <b>FINAL</b> . 2b)⊠ This	action is non-final.					
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims			•			
5) 6) 7)	Claim(s) 1-21 is/are pending in the application 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) is/are rejected. Claim(s) is/are objected to. Claim(s) 1-21 are subject to restriction and/or	wn from consideration.					
Applicat	ion Papers						
9)□	The specification is objected to by the Examine	er.					
10)	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11)□	Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex		•	• •			
Priority (	under 35 U.S.C. § 119						
12)□ a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea See the attached detailed Office action for a list	es have been received. Es have been received in Applicative documents have been received in Rule 17.2(a)).	ntion No ved in this National	l Stage			
Attachmen	t(s)						
	e of References Cited (PTO-892)	4) Interview Summa Paper No(s)/Mail					
3) Infor	e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) or No(s)/Mail Date			O-152)			

Application/Control Number: 10/664,997

Art Unit: 3632

This is the first office action for application number 10/664,997, Retractable Support Stand, filed on September 17, 2003.

## Election/Restriction

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- Claims 1-8, drawn to a retractable support stand, classified in class 248, subclass 171.
- II. Claims 9-21, drawn to an ambulatory aid, classified in class 135, subclass65.

The inventions are distinct, each from the other because of the following reasons:

Inventions II and I are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the particulars of the subcombination as claimed because the retractable stand is not need in order to operate the ambulatory aid. The subcombination has separate utility such as a tripod stand for supporting a camera.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

Application/Control Number: 10/664,997

Art Unit: 3632

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anita M. King whose telephone number is (703) 308-2162. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leslie A. Braun can be reached on (703) 308-2156. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/664,997

Art Unit: 3632

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Anita M. King Primary Examiner Art Unit 3632

November 24, 2004